





# OTTE – Sales table systems

# The perfect stage for your plants!

For more than 70 years, we have been developing together with our customers solutions for the production and commercial business in the green sector. The OTTE – sales table system offers you not only individual presentation surfaces in many designs and sizes, but also an extensive accessories range with integrated displays and various regulatory elements.

Our entire sales table range is manufactured in our premises from high-quality welded aluminium profiles. In this way we guarantee stable, durable and corrosion-resistant presentation surfaces. OTTE tables do not only have very lightweight structure and ensure easy access to the plants, but they also convince with their aesthetic and discreet design.

Our trained consultants offer a complete service to ensure optimal adaptation to your design requirements and space availability – from the individual planning to qualified project support through to professsional installation.



Whether indoor...



For each plant the right table – so your customers find what they are looking for!



.. or outside – with OTTE Sales tables you present your plants in a favourable light




Tables for large plants offer an ideal base for lush habitat





We are also specialised in **individual constructions** made to customer's specifications. For this construction we used a centre strut for stabilisation instead of bracing struts.

Table of dimensions Special constructions					
Length		Width			
1.01m	Х	1.01m			
2.01m	Х	1.01m			
3.01m	Х	1.61m			








#### The ideal solution for space-saving storage

- foldable
- movable
- height adjustable





Individual height gives adjustment you the possibility to flexibly level out uneven floors.



foldable



movable

# OTTE -Sales table systems

#### ■ Perfection down to the last detail

For an optimized utilization of your sales area, every sales table is manufactured by us according to your individual requirements. An extremely light aluminium construction as well as various table heights which can be individually adjusted and various finishes, permit an extremely wide range of variants of layout on your action floor - almost in the twinkling of an eye!

Furthermore, you can freely choose your colour design: We do not only offer sales tables in natural aluminium colour but you can select from the complete RAL colour range to perfectly match your company's corporate identity.





# OTTE – Sales Table systems

#### A variety of solutions for all cases

Stationary or movable, foldable or even without overhead construction – Sales tables from OTTE allow you to present your range of plants in a professional way, wihout any additional work.

Our stationary tables are characterized by a particularly robust design, as the tables are provided with cross struts for better stability.

The stationary-foldable design is made of an aluminium frame construction with welded aluminium profiles, which offers the advantage of space-saving storage. To allow more flexibility where frequent modifications are required, both versions are also available in movable design with two braked castors.

All sales tables are height adjustable as standard and depending on the request are either equipped with a waterproof aluminium lining (with water drain and plug) or with a plastic plate/ tray for ebb- and flood irrigation. Of course we also manufacture tables to your individual requirements as well.





Space-saving while storaged – stationary-foldable sales table



Ideal for frequent modification – the move- & foldable sales table with roller support



Particularly stable thanks to alu-cross struts – our stationary sales table








# OTTE - Sales table systems

Presenting your plants in a different way

#### **Sales tables**














Semicircular sales table combined with normal sales table



Circular sales table







Size chart in the appendix

Pyramidal-





Stationary pyramidal sales table with plastic plate lining (type 2) and height adjustments at the bottom




# OTTE – Table superstructures

#### Suspension bracket

Suspension brackets allow for the ideal presentation of hanging basket plants.


Thanks to their unique construction they serve as a comfortable and eye-catching display.



# Tier trays

Tier trays offer additional presentation platforms for your plants or accessories.


They are fixed stably with clamp arches above the sales table to create a two-tiered table.



### Trays for setting up on euro pallets

For a more sturdy way of presenting your plants, you can choose aluminium trays which are to be set up on europallets.


This price-entry option is built for a support made of europallets.



#### Set up trays









#### Sign holders


Thanks to our variably usable sign holders you can create easily understable guideposts.

The large integrated display provides an unobtrusive, but effective orientation.

The flexible, height adjustable, price sign holder simultaneously gives the customer immediate price information.







#### Separation arches

With our separation and mounting arches for sales tables you create a clear and cleanly separated storage for a whole range of plant sizes — quite easily, and always individually adjustable! This also prevents your plants from falling over in a light breeze.





#### Covering arches

Covering arches enable you to screen selected tables fom light by using a special foil.

In combination with this foil these arches also support the germination process and growth inhibition.



# Aquatic plant table

Consistant quality guaranteed – special sales table for the professional attitude and presentation of aquatic plants.





### Suspended trays

Suspended aluminium trays can be easily mounted on the greenhouse structure. By doing so, you can create additional sales and/or presentation platforms. The maximum suspension height is 1.80 m.





# Plant and work tables

Thanks to the ergonomic table top height of 90 cm our plant and work tables ensure ideal working conditions.

The table top is made of either aluminium sheet or stainless steel.

This table also disposes of height adjusters for perfect height alignment.





### Presentation platform

Our presentation platform offers additional space for accessories of all kinds.



Measurements: platform: total height:

base plate:

60 x 40 cm 56 cm

60 x 80 cm

# OTTE – Water sockets

Water sockets gives you the possibility to flexibly arrange your sales tables without any tangled mass on the floor.

It can be integrated harmoniously in the floor.

Close at hand and easily storable – inside view of a water socket.







#### **OTTE - Valves**

OTTE offers various valves according to the customers' requirements.

No matter if you are using a 1-way or 2-way valve, your plants will always get exactly the amount of water they require.

The drain with gate valve is perfectly suitable for a manually controlled irrigation.



1-way-valve






### **Rubber plug**

Rubber plugs in different sizes are usable for the water drain of your sales tables which do not dispose of valves or gate valves.

They are available for almost every kind of drilled hole.





# Overview sizes Standard - Sales tables

#### **SALES TABLES - stationary construction**

		Aluminium- lining					
			Width				
		1.01 m	1.01 m   1.26 m   1.51 m				
	1.01 m	Х	Х	Х			
	1.51 m	Х	Х	Х			
gth	2.01 m	хх	ХX	ХX			
Length	2.51 m	хх	ХX	ХX			
_	3.01 m	хх	ХX	ХX			
	3.51 m	хх	ХX	ХX			

		Plastic plate/ tray lining				
			Width			
		1.01 m	1.01 m   1.21 m   1.51 m			
	1.01 m	Х	X	X		
_	1.51 m	Х	X	X		
gt	2.01 m	хх	ХX	ХX		
Length	2.51 m	хх	ХX	ХX		
_	3.01 m	хх	ХX	ХX		
	3.51 m	ХX	хх	хх		

The plastic plates/ trays will be delivered in several parts and must be glued by customer.

- welded design
- total height = 75 cm (or according to your request)
- the height of the aluminium support is adjustable and removable (thereby stackable)
- stationary construction is equipped with cross struts
- linings/ covering:
  - aluminium lining with water drain, chain and plug (is riveted and clotted/ glued waterproof)
  - plastic plates/ trays are made of 3 mm new material with 1 sump, plastic filter and glue

#### Recommendation

1.01 m width	Recommendable, if the table can be reached only from one side
1.21 / 1.26 m	Recommendable for narrow ways and
1.51 m width	tight space Recommendable, if wide ways are possible

x = sales table version not foldable

x x =sales tables are foldable

For technical reasons, tables under 2.01 m length are not foldable.

#### All other sizes on request!

#### **SALES TABLES - movable construction**

		Aluminium lining					
			Width				
		1.01 m   1.26 m   1.51 m					
	1.01 m	Х	Х	Х			
Length	1.51 m	Х	Х	Х			
	2.01 m	хх	ХX	ХX			
en	2.51 m	хх	ХX	ХX			
	3.01 m	хх	ХX	ХX			
	3.51 m	хх	хх	хх			

		Plastic plate/ tray lining				
			Width			
		1.01 m	1.21 m	1.51 m		
	1.01 m	Х	Х	X		
_	1.51 m	Х	Х	X		
igt	2.01 m	хх	ХX	ХX		
Length	2.51 m	хх	ХX	ХX		
_	3.01 m	хх	ХX	ХX		
	3.51 m	хх	хх	хх		

The plastic plates/ trays will be delivered in several parts and must be glued by customer.

- welded design
- total height = 75 cm (or according to your request)
- the height of the aluminium support is adjustable
- movable design with 4 wheels (2 wheels are fixable)
- linings/ covering:
  - aluminium lining with water drain, chain and plug (is riveted and clotted/ glued waterproof)
  - plastic plates/ trays are made of 3 mm new material with 1 sump, plastic filter and glue

#### Recommendation

nda	ation			
1	.01 m width Recommendable, if the table can be			
			reached only from one side	
1	.21 / 1.	26 m	Recommendable for narrow ways ar	nd tight
			space	
1	.51 m v	vidth	Recommendable, if wide ways are p	ossible
	Χ	=	sales table version not foldable	
	XX	=	sales tables are foldable	

sales tables are foldable
 For technical reasons, tables under
 2.01 m length are not foldable.

#### All other sizes on request!

# Overview sizes Special constructions

#### **Tables for aquatic plants**

		Stainless steel sheet				
			Width			
		1.06 m	1.06 m   1.31 m   1.56 m			
h	2.06 m	Х	-	-		
ength.	2.56 m	-	Х	-		
Le	3.06 m	-	-	Х		

- welded design, maximum stability
- total height = 75 cm (or according to your request)
- height-adjustable aluminium support
- fixed design; movable design on request
- 30 cm inner height
- stainless steel sheet (V2A) incl. drain and integrated gate valve

#### **Plant and Work Table**

		Aluminium sheet lining			
		20 cm upstand	30 cm upstand		
		Width			
		1.00 m 1.15 m			
h	2.00 m	Х	Х		
Length	2.50 m	Х	X		
Le	3.00 m	Х	Х		

- welded design, incl. aluminium support
- worktop height = 90 cm (or according to your request)
- worktop made of aluminium sheet-lining or stainless steel
- transverse spacing 33 cm
- height-adjustable support for levelling
- fixed design; movable design on request
- 3 sides with upstand 20 cm, 4. side open

#### Trays for setting up on euro pallets

Length /Width 1.20 m x 0.80 m

- creates an additional sales area
- welded aluminium construction; light and stable
- stackable trays with conical profiles
- integrated water drain and plug
- including aluminium lining (is riveted and clotted/ glued waterproof)

#### **Pyramidal Sales Table**

Lining	Length	Width	Height	Tray width (5 pcs)
Aluminium lining	2.01 m	1.55 m	1.50 m	0.51 m
Plastic plate/ tray lining	2.01 m	1.55 m	1.50 m	0.64 m

#### Sales Table in tiers

Lining	Length	Width	Height	Tray width (3 pcs.)
Aluminium lining	2.51 m	0.80 m	1.25 m	0.34 m
Plastic plate/ tray lining	2.51 m	0.80 m	1.25 m	0.34 m













#### Maïs Automatisering

Duffelsesteenweg 135 • 2860 St. Katelijne-Waver
Tel. (+32) 015 31 49 41 • Fax (+32) 015 31 04 00
info@mais.be • www.mais.be

### Your advantages at a glance:

- Customer-appealing product presentation
- steady plant quality
- high efficiency
- solid and durable thanks to welded joints
- simple handling
- modularly expandable at any time
- individual constructions according to your requirements
- all table versions are height adjustable



OTTE Metallbau GmbH & Co. KG

Kuhlenstrasse 42 – D-26655 Westerstede

Tel.: +49 (0) 4488 8309-0
Fax: +49 (0) 4488 8309-35
F-Mail: info@offo.motallbau

E-Mail: info@otte-metallbau.de Internet: www.otte-metallbau.de



